


Data Sheet



Signature Set *Signature Pad*



WACOM® for Business

Signature Set

*Plug-and-Play
electronic signatures*

Product Overview

Signature Set combines a Wacom signature pad with sign pro PDF software for electronic signatures, providing an off-the-shelf paperless workflow solution. sign pro PDF for Windows is a simple and secure eSignature application, which allows you to sign your PDF document electronically and share it securely, while eliminating the process of printing, signing and scanning the document. It is also an ideal solution for form input, free-hand annotations, and adding electronic post-it notes to your PDF.

Key Features & Benefits







- **Streamline customer-facing workflows** by enabling secure handwritten electronic signatures within any PDF document
- **Integrate electronic handwritten signatures** easily into daily business processes
- **Simple integration** with Windows® PCs
- **Capture static and dynamic biometric data** of individual signatures to support signature verification when defending against potential fraud
- **Quick, easy modernization** of the signature capture process delivering immediate efficiency and customer experience ROI

Software Features

- Create and sign PDF documents
- Virtual printer driver for creating PDF documents from any printable Windows application
- Capture handwritten signatures with biometric characteristics
- Free-form drawing / handwritten annotations with pen and eraser
- Electronic seals (personal, date or image)
- Sticky notes, place and edit comments
- Signature certificate with user key selection
- Define privileges for document certification and encryption for processing documents
- Compatible with Windows Vista or higher










General Specifications

	Dimensions (W x H x D)	6.41 x 6.18 x 0.39 inches / 163 x 157 x 10 mm	6.35 x 6.86 x 0.42 inches / 162 x 174 x 11 mm
	Weight (including stand)	0.6 lbs / 275 g	0.62 lbs / 279 g
	Main body color	Black	Gray
	Power supply	USB bus powered	Via USB, no additional power adapter required
	Power consumption	2.5 W maximum	1.0 W maximum
	Communication interface	USB/VCP/RS-232	USB







LCD Display

	Display Type	Amorphous TFT LCD	F-STN Positive Reflective
	Cover plate surface	AG etched glass	Tempered glass
	Native resolution	800 x 480 pixels	320 x 200 pixels

Pad and pen

	Reading Technology	Electromagnetic Resonance (EMR)	Electromagnetic Resonance (EMR)
	Active area size	4.25 x 2.56 inches / 108 x 65 mm	3.77 x 2.36 inches / 96 x 60 mm
	Coordinate resolution	2540 lpi / 0.01 mm/pt (non-interpolated)	2540 lpi / 0.01 mm/pt (non-interpolated)
	Coordinate accuracy	±0.02 inches / ±0.5 mm (center)	±0.02 inches / ±0.5 mm (center)
	Report rate	200 points per second (non-interpolated)	200 points per second (non-interpolated)
	Pressure levels	1024 (non-interpolated)	1024 (non-interpolated)
	Encryption	AES256 / RSA2048	AES256 / RSA2048

Miscellaneous

	Pen storage	Pen compartment	Pen tray
	Connectivity security	USB cable locking system	USB cable locking system
	Data security	Real time image capture without data storage. Internal memory for images only.	Real time signature capture without internal pad memory
	Security lock slot	Yes, Kensington	Yes, Kensington
	Operating temperature, relative humidity	+41° F to +104° F / +5° C to +40° C, (humidity 30 % to 80 % RH, no condensing)	+41° F to +104° F / +5° C to +40° C, (humidity 30 % to 80 % RH, no condensing)
	Storage temperature, relative humidity	-4° F to +140° F / -20° C to +60° C, (humidity 30% to 90% RH, no condensing)	-4° F to +140° F / -20° C to +60° C, (humidity 30% to 90% RH, no condensing)



Japan (HQ)

For more information please contact:
Wacom Co., Ltd. · Sumitomo Fudosan Shinjuku Grand Tower 31F, 35F,
8-17-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-6131, Japan
vm-info@wacom.co.jp · 03-5337-6706



Americas

For more information please contact / Pour de plus amples informations, veuillez contactez /
Para obtener información adicional, póngase en contacto con:
Wacom Technology Corporation · 1455 NW Irving Street, Suite 800 | Portland, OR 97209 USA
esign@wacom.com · 1-503-525-3100



Europe, Middle East and Africa

For more information please contact / Pour de plus amples informations, veuillez contactez /
Para obtener información adicional, póngase en contacto con:
Wacom Europe GmbH · Völklinger Straße 1, 40219 Düsseldorf, Germany
solutions@wacom.eu · +49 211 385 48 0




Australia

For more information please contact:
Wacom Australia Pty. Ltd. · Ground floor, Building 1, 3 Richardson Place, North Ryde, NSW, 2113, Australia
Contactapbs@Wacom.com · +61 2 9422 6730

WACOM® for Business

More human



More digital



China

For more information please contact:
Wacom China Corporation · 518, West Wing Office, China World Trade Center, No. 1 Jianguomenwai Avenue,
Chaoyang District, Beijing 100004, China
e-signature@wacom.com · 400-810-5460

Korea

For more information please contact:
Wacom Korea Co., Ltd. · Rm #1211, 12F, KGIT Sangam Center, 402 Worldcup Bukro, Mapo-gu, Seoul 03925, Korea
Contactapbs@Wacom.com · 080-800-1231

Singapore

For more information please contact:
Wacom Singapore Pte. Ltd. · 5 Temasek Boulevard, #12-09, Suntec Tower Five, Singapore 038985
Contactapbs@Wacom.com · (503) 525-3100

India

For more information please contact:
Wacom India Pvt. Ltd. · 426, Tower B, DLF Building Jasola District Centre, Mathura Road, New Delhi 110025 India
Contactapbs@Wacom.com · Customer Support: 000-800-100-4159, +91-11-47239412

Hong Kong

For more information please contact:
Wacom Hong Kong Ltd. · Unit 1610, 16/F, Exchange Tower, 33 Wang Chiu Road Kowloon Bay, Hong Kong
e-signature@wacom.com · +852 2573 9322

wacom.com/for-business

© 2020 Wacom Co., Ltd.